

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 2006		2. REPORT TYPE		3. DATES COVERED 00-00-2006 to 00-00-2006	
4. TITLE AND SUBTITLE Multicasting Within Mobile Ad hoc Networks				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory, 4555 Overlook Avenue SW, Washington, DC, 20375				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

Multicasting Within Mobile Ad hoc Networks

J.P. Macker, R.B. Adamson, J. Dean, W. Chao,
I.T. Downard, J.W. Weston, and R.D. Lee
Information Technology Division

Background and Problem Area: The development of mobile ad hoc networking (MANET) technology for DoD use presents formidable challenges.¹ The Naval Research Laboratory (NRL) has been a technology leader in the conception, development, and standardization of MANET technologies. MANET technology is evolving and will allow future DoD network systems to self-organize and operate more autonomously without reliance upon a fixed infrastructure. Despite recent advances in this technology, there remains little work in adapting or standardizing multicasting forwarding in MANET.² Multicasting provides efficient network group communications, a feature important in future DoD tactical edge and network-centric scenarios. This article briefly describes recent NRL work advancing the state of the art in multicast forwarding capabilities for MANETs.

A Simplified Multicasting Process for MANETs: Previous research in MANET technology has developed techniques for optimizing the process of flooding control information often applied to specific routing protocol designs and requirements.³ There is recent interest in applying these techniques to forward multicast user data in mobile, wireless data networks. Within MANETs, a simpler multicast forwarding model that optimizes the forwarding of multicast traffic to all participating nodes in a routing area is often useful. One such solution is the Simplified Multicast Forwarding (SMF)⁴ specification design within the Internet Engineering Task Force (IETF). SMF is a flexible common framework for MANET multicast forwarding independent of any unicast routing specification. It includes a duplicate packet detection mechanism and supports multiple forwarding optimization methods. A recognized research challenge has been to better characterize the traffic loading performance of various algorithms within multicast mobile wireless networks.

CDS Algorithm Improvement: Algorithms that help form and minimize a Connected Dominating Set (CDS) are often considered as design frameworks for MANET multicast forwarding to minimize forwarding relay sets. Figure 4(a) represents a wireless network of 100 nodes and the related topological links between the nodes. Classical flooding (CF) or legacy wireless

forwarding algorithms use all red nodes in Fig. 4(a) to retransmit network packets at least once, leading to the well-known broadcast storm problem.⁵ To illustrate the value of CDS algorithms, Fig. 4(b) shows a connected graph containing only a subset of the total links and relay nodes obtained using a distributed CDS algorithm. The smaller number of red relay nodes (i.e., 12 vs 100) clearly demonstrates a significant reduction in the relay set size required to reach all destinations vs the CF approach.


Our research goes beyond CDS efficiency analysis predicted from static graphs, as illustrated in Fig. 4. We are developing operational models and exploring the robustness of multiple techniques under emulated and simulated mobile, wireless network conditions. Figure 5 is a sample of a simulation analysis comparing several CDS algorithms against CF within an increasingly congested mobile network. As shown in Fig. 5, CDS algorithms can improve network goodput (i.e., usable received network data) over CF as load increases. Due to inefficient relaying, the CF algorithm causes network contention and congestion under lighter source traffic loading than more optimized CDS algorithms.

Summary: NRL research is characterizing the complex behavior of various distributed relay set algorithms being considered for future MANET multicast forwarding. NRL also acts as a technical leader in a related Internet protocol standardization process and is transitioning lessons learned from this research within that forum. Research products are also expected to aid in supporting the complex design tradeoffs needed in developing future tactical Navy and DoD mobile wireless networks. Future plans include extending this work by researching the performance of reliable multicast transport mechanisms within SMF-enabled MANET models.


[Sponsored by NRL and ONR]

References

- ¹ J.P. Macker and M.S. Corson, "Mobile Ad Hoc Networking (MANET): Routing Protocol Performance Issues and Evaluation Considerations," IETF RFC 2501, Jan. 1999.
- ² J.P. Macker and M.S. Corson, "Mobile Ad Hoc Networks: Routing Technology for Dynamic, Wireless Networks," S. Basagni et al., eds., *Mobile Ad Hoc Networking*, Chapter 9, IEEE Press, 2003.
- ³ J.P. Macker, J. Dean, and W. Chao, "Simplified Multicast Forwarding in Mobile Ad Hoc Networks," IEEE MILCOM 2004 Proceedings, 2004.
- ⁴ J.P. Macker, et al., "Simplified Multicast Forwarding for MANET," specification work in progress, IETF MANET Working Group, <http://www.ietf.org/>, Oct. 2005.
- ⁵ S. Ni, Y. Tseng, Y. Chen, and J. Sheu, "The Broadcast Storm Problem in Mobile Ad Hoc Networks," Proceedings of ACM Mobicom 99, 1999. ★



(a)



(b)

FIGURE 4

(a) 100-node network (fully connected no CDS) and (b) 100-node network (MPR-based CDS algorithm).




FIGURE 5
CDS algorithm study with mobility and increasing traffic volume.